




# CUSTOM COMPONENT OPTIONS



# FEATURED CUSTOM SHAFT & GRIP OPTIONS



TaylorMade's industry-leading custom component program allows golfers to select from a plethora of shaft and grip combinations for a fully personalized experience that incorporates the very best in innovation and technology. The featured components below are rising in popularity both on professional tours around the world as well as with consumers. We highly recommend you start your path to complete customization by referring to the Custom Shaft and Grip Options booklet for an in-depth look at all of our customization options.

## METALWOOD SHAFTS

### ALDILA NV 2KXV GREEN/ORANGE



The new NV 2KXV line of shafts incorporate Aldila's NexGen Micro Laminate Technology. NexGen MLT employs the most modern, technically advanced graphite materials currently available. The average ply thickness of NexGen MLT material is more than 25% thinner than the original MLT materials used in the first NV products. This allows for an even greater number of graphite layers making the shafts even more consistent and concentric and further enhancing the feel of the product. In addition, NexGen Micro Laminate materials have 15% less epoxy resin in the shafts than original MLT NV products. By removing resin, we are able to put more graphite fibers into the products without a net gain in weight. More fiber means greater stiffness/stability control, lower torque, and enhanced durability without adding additional weight.

### MITSUBISHI RAYON TENSEI CK SERIES



The new TENSEI CK Series features a multi-material design that optimizes classic, tour-proven MRC GOLF bend profiles in much the same manner as racecar designs use exotic materials to enhance performance and efficiency. This innovative brand debuts in January 2016, with the TENSEI CK Series Blue profile that includes more materials than any other shaft we've ever made, making it the smoothest of our smooth profiles.

In fact, the Japanese word "Tensei" means "transformation" in English -- a more-than-appropriate name for this new franchise. While a typical shaft series includes three-to-six materials, the TENSEI CK Series combines 11 different prepreg materials, including our High Density Prepreg, ultra-thin prepreg, and for the first time a Carbon Fiber/Kevlar weave featuring MRC Carbon fiber -- all to help refine and take our classic smooth bend profile to an entirely new level.

### GRAPHITE DESIGN TOUR AD GP BLACK EDITION



The Tour AD GP, like its predecessors, utilizes premium, aerospace quality 50t carbon-fiber materials in order to deliver the best feeling and performing shaft available to golfers.

Designed with a very stiff tip and stiffer mid to butt section to promote a mid-launch condition and low spin, the Tour AD GP also utilizes the latest in graphite material from Toray Industries, Inc., TORAYCA® T1100G carbon-fiber pre-preg with NANOALLOY® technology in the tip section of the shaft for additional shaft stability, exceptional feel and precise ball control.

If you are looking for a super-premium graphite golf shaft for your Driver or Fairway woods, the new Tour AD GP may just be for you and the Greatest Performing shaft you ever hit.

### MATRIX SPEED RULZ



The new Matrix SPEED RULZ offers Matrix proprietary Mangsa material, strategically positioned to enhance stability without adding unnecessary weight

A-Type - Stable EI profile, slightly firmer in the mid section, providing great feel with corresponding stability in a speed optimized design for a wide range of swing speeds.

C-Type - Extremely stable and smooth profile that optimizes speed for those players preferring the feel of a shaft with a softer butt section.

## IRON / WEDGES SHAFTS

### KBS C-TAPER 105



The C-TAPER 105 shaft incorporates proven KBS performance benefits in a lighter weight design. The mid tip and soft butt produce a mid-high trajectory and controlled spin. Featuring a constant taper design and proportionate increase in wall thickness, the C-TAPER 105 optimizes energy transfer for maximum distance.

### NIPPON N.S. PRO MODUS<sup>3</sup> TOUR 120/130



The N.S. PRO Modus<sup>3</sup> series shafts are popular with touring pros because they offer optimal performance in the three key areas:

- Desired trajectory as a result of the unique structure of a stiff tip section and softer mid section.
- Accurate distances due to the unique raw steel material and accompanying heat treatment.
- Tight dispersion coming from the exacting tolerances of the highest quality level.

### MITSUBISHI RAYON KURO KAGE GRAPHITE



The KURO KAGE™ Iron shafts blend Low Resin Content (LRC) prepreg with a smooth bend profile to provide excellent versatility. Progressive weight by flex to meet the needs of players of all abilities. (X-100g, S-90g and R-80g)

### TRUE TEMPER XP 95



The XP 95 is an ultralight shaft designed to deliver maximum peak trajectory for explosive distance. True Temper's R&D team combined standard and speed steps in XP 95 to ensure the ultimate combination of maximum ball speed and dispersion control.

### KBS 580



PERFORMANCE SHAFT FOR THE DEVELOPING PLAYER

KBS has changed the direction and progression of younger developing players and their needs. Enter the KBS 580 Series. The first golf shaft on the market developed specifically for a Junior Developing player in mind.

Up to one full club length longer in distance and consistency, as well as generating optimum spin with a more consistent, controlled ball flight and club efficiency.

## GRIPS

### GOLF PRIDE - MCC +4




The New Decade® MultiCompound MCC Plus4™ is a tour-proven, hybrid grip that features a larger lower hand and new softer rubber material. With a 4.6% larger lower hand diameter than the Original MCC, the Plus4 encourages lighter grip pressure, reduced tension, and increased power. The lower hand features a soft, responsive rubber compound ideal for enhanced feel. The upper hand material is a soft compound with Brushed Cotton Cord and new, strategically placed Micro-Plus4-LogoTexture for downswing stability. The larger lower hand, new softer material and all-weather control deliver new performance options to the #1 Hybrid Grip on Tour.

### SUPER STROKE MID-SLIM 2.0



Parallel technology allows for even pressure in both hands, eliminating added tension in the wrist and forearms. This helps the arms to swing free, further enhancing a pendulum putting stroke.



## ULTRA-LIGHT WEIGHT

- |                              |                   |                              |                            |
|------------------------------|-------------------|------------------------------|----------------------------|
| 1 Kuro Kage Black TiNi 50    | 4 Fujikura Pro 53 | 7 Fujikura SIX Tour Spec     | 10 Mitsubishi Tensei CK 50 |
| 2 Aldila NV Magnum 44        | 5 Project X V52   | 8 Fujikura Pro 50            |                            |
| 3 Matrix Ozik White Tie 50X4 | 6 Fujikura SIX    | 9 Matrix Ozik White Tie 55X4 |                            |

## LIGHT WEIGHT

- |  |   |                                      |   |
|--|---|--------------------------------------|---|
| 1 Oban Devotion 6                      | 11 Matrix Ozik Black Tie 60M4               | 21 Graphite Design Tour AD BB 6      | 31 Fujikura Pro 63 Tour Spec                  |
| 2 Mitsubishi Diamana B 60              | 12 Matrix Ozik Red Tie 60Q4                 | 22 Graphite Design Tour AD Di6       | 32 Graphite Design Tour AD GP 6 Black Edition |
| 3 Mitsubishi Diamana D+ 60             | 13 Matrix Ozik White Tie 60X4               | 23 Graphite Design Tour AD Di6 Black | 33 Matrix Speed Rulz Type-A 60                |
| 4 Mitsubishi Diamana S+ 60             | 14 Fujikura Pro 60                          | 24 Graphite Design Tour AD MJ 6      | 34 Matrix Speed Rulz Type-C 60                |
| 5 Mitsubishi Diamana W 60              | 15 Project X LZ 60                          | 25 Graphite Design Tour AD MT 6      | 35 Mitsubishi Kuro Kage Black TiNi 60         |
| 6 UST Elements CHROME 65               | 16 Aldila Rogue Black 60                    | 26 Aldila Tour Blue 65               | 36 Mitsubishi Tensei CK 60                    |
| 7 Mitsubishi Fubuki J 60               | 17 Aldila Rogue Silver 60                   | 27 Aldila Tour Green 65              | 37 Project X HZRDUS Black 65                  |
| 8 Oban Kiyoshi Gold                    | 18 Fujikura Speeder 661 Evolution Tour Spec | 28 Aldila NV 2KXV 65 Green           |   |
| 9 Oban Kiyoshi Tour Limited 60         | 19 Fujikura Speeder Evolution 661           | 29 Aldila NV 2KXV 65 Orange          |   |
| 10 Mitsubishi Kuro Kage Silver TiNi 60 | 20 Fujikura Speeder Tour Spec 6.2           | 30 Aldila Rogue Silver I/O 60        |   |

## MID WEIGHT

- |                                       |                                   |                                   |   |
|---------------------------------------|-----------------------------------|-----------------------------------|---|
| 1 Mitsubishi Diamana B 70             | 8 Matrix Ozik Red Tie 70Q4        | 15 Fujikura Speeder Tour Spec 7.2 | 22 Graphite Design Tour AD GP 7 Black Edition |
| 2 Mitsubishi Diamana D+ 70            | 9 Matrix Ozik White Tie 70X4      | 16 Graphite Design Tour AD BB 7   | 23 Matrix Speed Rulz Type-A 70                |
| 3 Mitsubishi Fubuki J 70              | 10 Fujikura Pro 70                | 17 Graphite Design Tour AD Di7    | 24 Matrix Speed Rulz Type-C 70                |
| 4 Oban Kiyoshi Black 65               | 11 Fujikura Pro 73                | 18 Graphite Design Tour AD MT 7   | 25 Project X HZRDUS Black 75                  |
| 5 Oban Kiyoshi White 65               | 12 Aldila Rogue Black 70          | 19 Aldila Tour Blue 75            |   |
| 6 Mitsubishi Kuro Kage Silver TiNi 70 | 13 Aldila Rogue Silver 70         | 20 Aldila Tour Green 75           |   |
| 7 Matrix Ozik Black Tie 70M4          | 14 Fujikura Speeder Evolution 757 | 21 Fujikura Pro 73 Tour Spec      |   |

## TOUR WEIGHT

- |                              |                             |  |
|------------------------------|-----------------------------|--|
| 1 Mitsubishi Diamana B 80    | 4 Matrix Ozik White Tie HX4 | 7 Fujikura Speeder 757 Evolution Tour Spec |
| 2 UST Elements CHROME 75     | 5 Fujikura Pro 80h          | 8 Fujikura Speeder 869 Evolution Tour Spec |
| 3 Matrix Ozik Black Tie 80M4 | 6 Oban Revenge 8            | 9 Mitsubishi Tensei CK 70                  |

\*Shafts categorized by flex weight average. Launch and Spin comparisons based on internal TaylorMade testing of each shaft. Shaft manufacturer-provided specification data was used help identify shaft characteristics in relation to each other. Chart serves as a reference guide to aid in custom shaft fitting and does not guarantee results with any particular shaft.

# CUSTOM METALWOOD SHAFT OPTIONS



ALDILA METALWOOD CUSTOM SHAFT OPTIONS					aldila.com					
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness	Upcharge (Retail)	
<b>NEW</b> NV 2KXV 65 Green	X	66g	3.9	0.335	0.645	Low-Mid	Low	Firm	100.00	
	S	65g	4.5	0.335	0.645	Low-Mid	Low	Firm	100.00	
<b>NEW</b> NV 2KXV 65 Orange	X	68g	4.5	0.335	0.645	Mid	Mid	Soft	100.00	
	S	65g	5.2	0.335	0.645	Mid	Mid	Soft	100.00	
<b>NEW</b> Rogue Silver I/O 60	X	65g	3.1	0.335	0.645	Low-Mid	Low	Firm	200.00	
	S	64g	3.4	0.335	0.645	Low-Mid	Low	Firm	200.00	
	R	67g	3.8	0.335	0.600	Low-Mid	Low-Mid	Mid	0.00	
Rogue Silver 60	X	72g	3.1	0.335	0.600	Low-Mid	Low-Mid	Firm	0.00	
	S	69g	3.4	0.335	0.600	Low-Mid	Low-Mid	Mid	0.00	
Rogue Silver 70	R	67g	3.8	0.335	0.600	Low-Mid	Low-Mid	Mid	0.00	
	X	78g	2.8	0.335	0.600	Low-Mid	Low	Firm	0.00	
	S	77g	3.1	0.335	0.600	Low-Mid	Low	Firm	0.00	
Rogue Black 60	X	70g	3.3	0.335	0.600	Mid-High	Mid	Mid	0.00	
	S	68g	3.6	0.335	0.600	Mid-High	Mid	Mid	0.00	
	R	66g	4.0	0.335	0.600	Mid-High	Mid	Soft	0.00	
Rogue Black 70	X	75g	3.0	0.335	0.600	Mid	Mid	Firm	0.00	
	S	74g	3.3	0.335	0.600	Mid	Mid	Mid	0.00	
Tour Green 65	X	69g	3.5	0.335	0.600	Low-Mid	Low	Firm	0.00	
	S	67g	3.9	0.335	0.600	Low-Mid	Low	Firm	0.00	
Tour Green 75	X	75g	3.3	0.335	0.600	Low-Mid	Low	Firm	0.00	
	S	74g	3.7	0.335	0.600	Low-Mid	Low	Firm	0.00	
Tour Blue 65	X	71g	3.2	0.335	0.600	Mid-high	Mid-High	Mid	0.00	
	S	69g	3.7	0.335	0.600	Mid-high	Mid-High	Mid	0.00	
Tour Blue 75	X	75g	3.3	0.335	0.600	Mid-high	Mid	Mid	0.00	
	S	74g	3.7	0.335	0.600	Mid-high	Mid	Mid	0.00	
NV Magnum 44	S	48g	5.0	0.335	0.600	High	High	Mid	0.00	
	R	44g	6.0	0.335	0.600	High	High	Mid	0.00	
	A	43g	6.0	0.335	0.600	High	High	Soft	0.00	
<b>HYB</b> Rogue Black 85 Hybrid	S	88g	2.8	0.370	0.600	Mid	Low	Firm	0.00	
	R	86g	3.1	0.370	0.600	Mid	Low	Firm	0.00	

FUJIKURA METALWOOD CUSTOM SHAFTS OPTIONS					fujikuragolf.com					
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness	Upcharge (Retail)	
Speeder 661 Evolution Tour Spec	X	67g	3.5	0.335	0.600	Low-Mid	Mid	Mid	0.00	
	S	66g	3.5	0.335	0.600	Low-Mid	Mid	Mid	0.00	
	R	65g	3.5	0.335	0.600	Low-Mid	Mid	Mid	0.00	
Speeder 757 Evolution Tour Spec	X	79g	2.6	0.335	0.600	Low-Mid	Low	Firm	0.00	
	S	78g	2.6	0.335	0.600	Low-Mid	Low	Firm	0.00	
	R	77g	2.6	0.335	0.600	Low-Mid	Low	Firm	0.00	
Speeder Evolution 661	X	68g	3.0	0.335	0.600	Mid	Mid	Firm	200.00	
	S	66g	3.2	0.335	0.600	Mid	Mid	Firm	200.00	
Speeder Evolution 757	X	79g	2.7	0.335	0.600	Mid	Low	Firm	200.00	
	S	78g	2.7	0.335	0.600	Mid	Low	Firm	200.00	
SIX	X	60g	4.0	0.335	0.600	Mid-High	Mid-High	Mid	200.00	
	S	59.5g	4.0	0.335	0.600	Mid-High	Mid-High	Mid	200.00	
SIX Tour Spec	X	60g	3.7	0.335	0.600	Mid-High	Mid	Firm	200.00	
	S	60g	3.7	0.335	0.600	Mid-High	Mid	Firm	200.00	
Speeder Tour Spec 6.2	X	69g	3.4	0.335	0.600	Mid	Low-Mid	Firm	200.00	
	S	65g	3.4	0.335	0.600	Mid	Low-Mid	Firm	200.00	
Speeder Tour Spec 7.2	X	74g	3.0	0.335	0.600	Low-Mid	Low	Firm	200.00	
	S	74g	3.0	0.335	0.600	Low-Mid	Low	Firm	200.00	
Pro 53	S	57g	4.1	0.335	0.600	Mid	Mid	Soft	0.00	
	R	56g	4.1	0.335	0.600	Mid	Mid	Soft	0.00	
Pro 73	X	75g	3.4	0.335	0.600	Mid	Low-Mid	Mid	0.00	
	S	74g	3.4	0.335	0.600	Mid	Low-Mid	Mid	0.00	
<b>NEW</b> Pro 63 Tour Spec	X	65g	3.0	0.335	0.600	Low-Mid	Low	Firm	100.00	
	S	65g	3.0	0.335	0.600	Low-Mid	Low	Firm	100.00	
<b>NEW</b> Pro 73 Tour Spec	X	72g	2.9	0.335	0.600	Low-Mid	Low	Firm	100.00	
	S	72g	2.9	0.335	0.600	Low-Mid	Low	Firm	100.00	
Pro 50	R	54g	4.5	0.335	0.620	High	High	Soft	0.00	
	M	53g	4.6	0.335	0.620	High	High	Soft	0.00	
Pro 60	X	65g	3.2	0.335	0.620	Mid-High	Mid	Soft	0.00	
	S	61g	3.6	0.335	0.620	Mid-High	Mid	Soft	0.00	
	R	59g	3.8	0.335	0.620	Mid-High	Mid	Soft	0.00	
Pro 70	M	60g	4.1	0.335	0.620	Mid-High	Mid	Soft	0.00	
	X	77g	3.3	0.335	0.600	Mid-High	Low-Mid	Mid	0.00	
	S	75g	3.5	0.335	0.600	Mid-High	Low-Mid	Mid	0.00	
Pro 70	R	74g	3.7	0.335	0.600	Mid-High	Low-Mid	Mid	0.00	
	M	71g	4.2	0.335	0.600	Mid-High	Low-Mid	Mid	0.00	



# CUSTOM METALWOOD SHAFT OPTIONS



HYB	Pro 80h	X	87g	3.1	0.370	0.600	Mid	Mid	Mid	0.00
		S	86g	3.2	0.370	0.600	Mid	Mid	Mid	0.00
		R	84g	3.5	0.370	0.600	Mid	Mid	Mid	0.00
HYB	Speeder 869 Evolution Tour Spec	M	79g	4.1	0.370	0.600	Mid	Mid	Mid	0.00
		X	95g	2.6	0.370	0.600	Mid	Low	Firm	0.00
		S	93g	2.6	0.370	0.600	Mid	Low	Firm	0.00

GRAPHITE DESIGN METALWOOD CUSTOM SHAFTS OPTIONS						proschoicegol shafts.com				
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness	Upcharge (Retail)	
NEW	Tour AD GP 6 Black Edition	X	67.5g	3.1	0.335	0.600	Mid	Low	Firm	200.00
		S	66g	3.1	0.335	0.600	Mid	Low	Firm	200.00
NEW	Tour AD GP 7 Black Edition	X	76.5g	2.9	0.335	0.600	Mid	Low	Firm	200.00
		S	75g	2.9	0.335	0.600	Mid	Low	Firm	200.00
	Tour AD BB 6	X	66.5g	3.2	0.335	0.600	Low-Mid	Low	Firm	200.00
		S	65g	3.2	0.335	0.600	Low-Mid	Low	Firm	200.00
	Tour AD BB 7	X	76g	3.0	0.335	0.600	Low-Mid	Low	Firm	200.00
		S	74.5g	3.0	0.335	0.600	Low-Mid	Low	Firm	200.00
	Tour AD MT 6	X	66g	3.3	0.335	0.600	Mid-High	Mid	Mid	200.00
		S	64.5g	3.3	0.335	0.600	Mid-High	Mid	Mid	200.00
	Tour AD MT 7	X	75g	3.1	0.335	0.600	Low-Mid	Low-Mid	Mid	200.00
		S	74g	3.1	0.335	0.600	Low-Mid	Low-Mid	Mid	200.00
	Tour AD Di6	X	66.5g	3.3	0.335	0.600	High	Low	Mid	200.00
		S	65g	3.3	0.335	0.600	High	Low	Mid	200.00
	Tour AD Di6 Black	X	66.5g	3.3	0.335	0.600	High	Low	Mid	200.00
		S	65g	3.3	0.335	0.600	High	Low	Mid	200.00
	Tour AD Di7	X	75g	3.2	0.335	0.600	Mid-High	Low	Mid	200.00
		S	74g	3.2	0.335	0.600	Mid-High	Low	Mid	200.00
	Tour AD MJ 6	X	64g	3.4	0.335	0.600	Mid-High	Low-Mid	Mid	200.00
		S	63g	3.4	0.335	0.600	Mid-High	Low-Mid	Mid	200.00

MATRIX METALWOOD CUSTOM SHAFTS OPTIONS						matrixshafts.com				
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness	Upcharge (Retail)	
NEW	Speed Rulz Type-A 60	X	67g	3.1	0.335	0.610	Mid	Mid	Mid	200.00
		S	65g	3.5	0.335	0.610	Mid	Mid	Mid	200.00
NEW	Speed Rulz Type-C 60	X	70g	2.9	0.335	0.620	Low-Mid	Low-Mid	Firm	200.00
		S	66g	3.4	0.335	0.620	Low-Mid	Low-Mid	Firm	200.00
NEW	Speed Rulz Type-C 70t	X	79g	2.6	0.335	0.620	Low	Low	Firm	200.00
		S	79g	2.6	0.335	0.620	Low	Low	Firm	200.00
	Ozik White Tie 50X4	X	59g	3.9	0.335	0.600	High	Mid	Mid	0.00
		S	57g	4.1	0.335	0.600	High	Mid	Mid	0.00
		R	55g	4.2	0.335	0.600	High	Mid	Mid	0.00
	Ozik White Tie 55X4	A	53g	4.2	0.335	0.600	High	Mid	Mid	0.00
		L	55g	5.1	0.335	0.600	High	High	Soft	0.00
		X	67g	4.1	0.335	0.600	High	Mid	Mid	0.00
	Ozik White Tie 60X4	S	65g	4.1	0.335	0.600	High	Mid	Mid	0.00
		R	63g	4.2	0.335	0.600	High	Mid	Mid	0.00
		X	78g	4.2	0.335	0.600	High	Low-Mid	Mid	0.00
	Ozik White Tie 70X4	S	75g	4.3	0.335	0.600	High	Low-Mid	Mid	0.00
		R	73g	4.3	0.335	0.600	High	Low-Mid	Mid	0.00
		X	69g	3.2	0.335	0.600	Mid	Mid	Mid	0.00
	Ozik Red Tie 60Q4	S	67g	3.3	0.335	0.600	Mid	Mid	Mid	0.00
		R	65g	3.4	0.335	0.600	Mid	Mid	Mid	0.00
		X	79g	2.7	0.335	0.600	Mid	Mid	Mid	0.00
	Ozik Red Tie 70Q4	S	77g	2.7	0.335	0.600	Mid	Mid	Mid	0.00
		X	67.5g	3.3	0.335	0.600	Low	Low	Firm	0.00
		S	65.5g	3.4	0.335	0.600	Low	Low	Firm	0.00
	Ozik Black Tie 60M4	X	77g	2.7	0.335	0.600	Low	Low	Firm	0.00
		S	75g	2.8	0.335	0.600	Low	Low	Firm	0.00
		X	86g	3.1	0.335	0.600	Low	Low	Firm	0.00
	Ozik Black Tie 80M4	S	84g	3.1	0.335	0.600	Low	Low	Firm	0.00
		X	84g	2.7	0.370	0.600	High	Mid	Mid	0.00
		S	82g	2.7	0.370	0.600	High	Mid	Mid	0.00
HYB	Ozik White Tie HX4	R	80g	2.7	0.370	0.600	High	Mid	Mid	0.00
		X	91g	3.1	0.370	0.600	Mid	Mid	Stiff	0.00
		S	89g	3.3	0.370	0.600	Mid	Mid	Stiff	0.00
HYB	Altus Tour Hybrid	R	85g	3.4	0.370	0.600	Mid	Mid	Stiff	0.00

# CUSTOM METALWOOD SHAFT OPTIONS



MITSUBISHI METALWOOD CUSTOM SHAFTS OPTIONS					mrc-golf.com				
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness	Upcharge (Retail)
Fubuki J 60	X	66g	3.9	0.335	0.600	Mid	Mid	Mid	200.00
	S	64g	3.9	0.335	0.600	Mid	Mid	Mid	200.00
	R	61g	3.9	0.335	0.600	Mid	Mid	Mid	200.00
Fubuki J 70	X	74g	3.6	0.335	0.600	Mid	Mid	Mid	200.00
	S	72g	3.6	0.335	0.600	Mid	Mid	Mid	200.00
Diamana B 60	X	67g	3.5	0.335	0.600	Mid	Mid	Mid	200.00
	S	64g	3.6	0.335	0.600	Mid	Mid	Mid	200.00
	R	62g	3.8	0.335	0.600	Mid	Mid	Mid	200.00
Diamana B 70	X	77g	2.9	0.335	0.600	Mid	Mid-Low	Mid	200.00
	S	74g	3.0	0.335	0.600	Mid	Mid-Low	Mid	200.00
Diamana B 80	X	87g	2.8	0.335	0.600	Mid	Low	Firm	200.00
	S	84g	2.8	0.335	0.600	Mid	Low	Firm	200.00
Diamana W 60	X	67g	3.2	0.335	0.600	Low	Low	Firm	200.00
	S	64g	3.2	0.335	0.600	Low	Low	Firm	200.00
	R	62g	3.3	0.335	0.600	Low	Low	Firm	200.00
Diamana S+ 60	X	67g	3.7	0.335	0.600	Mid	Mid	Mid	0.00
	S	64g	4.5	0.335	0.600	Mid	Mid	Soft	0.00
Diamana D+ 60	X	67g	3.5	0.335	0.600	Low	Low	Firm	0.00
	S	65g	3.6	0.335	0.600	Low	Low	Firm	0.00
Diamana D+ 70	X	75g	3.5	0.335	0.600	Low	Low	Firm	0.00
	S	74g	3.6	0.335	0.600	Low	Low	Firm	0.00
NEW Kuro Kage Black TiNi 50	S	56g	4.8	0.335	0.600	High	Mid-High	Soft	0.00
	R	55g	5.7	0.335	0.600	High	Mid-High	Soft	0.00
	A	52g	5.9	0.335	0.600	High	Mid-High	Soft	0.00
NEW Kuro Kage Black TiNi 60	S	66g	4.3	0.335	0.600	High	Mid	Mid	0.00
	R	64g	4.6	0.335	0.600	High	Mid	Mid	0.00
Kuro Kage Silver TiNi 60	X	69g	3.3	0.335	0.600	Mid-High	Low-Mid	Firm	0.00
	S	69g	4.4	0.335	0.600	Mid-High	Low-Mid	Firm	0.00
	R	65g	4.6	0.335	0.600	Mid-High	Low-Mid	Firm	0.00
Kuro Kage Silver TiNi 70	X	77g	2.8	0.335	0.600	Mid	Low-Mid	Firm	0.00
	S	76g	4.1	0.335	0.600	Mid	Low-Mid	Firm	0.00
HYB Kuro Kage Black Hybrid 80	X	85g	1.7	0.370	0.600	Mid	Mid-High	Mid	0.00
	S	82g	1.8	0.370	0.600	Mid	Mid-High	Mid	0.00
NEW Tensei CK 50	S	57g	5.4	0.335	0.600	High	Mid	Soft	0.00
	R	54g	5.6	0.335	0.600	High	Mid	Soft	0.00
NEW Tensei CK 60	S	67g	4.5	0.335	0.600	Mid-High	Mid	Mid	0.00
	R	64g	4.6	0.335	0.600	Mid-High	Mid	Mid	0.00
NEW Tensei CK 70 X	X	78g	3.9	0.335	0.600	Mid	Mid	Firm	0.00


OBAN METALWOOD CUSTOM SHAFTS OPTIONS					obanshafts.com				
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness	Upcharge (Retail)
Devotion 6	X	68g	3.6	0.335	0.600	Mid-Low	Low-Mid	Firm	100.00
	S	67g	3.6	0.335	0.600	Mid-Low	Low-Mid	Firm	100.00
	R	64g	3.6	0.335	0.600	Mid-Low	Low-Mid	Mid	100.00
Revenge 8	X	85g	3.5	0.335	0.600	Mid-Low	Mid-Low	Mid	100.00
	S	83g	3.5	0.335	0.600	Mid-Low	Mid-Low	Mid	100.00
Kiyoshi Black 65	X	72g	3.3	0.335	0.600	Mid-Low	Low	Mid	200.00
	S	70g	3.3	0.335	0.600	Mid-Low	Low	Mid	200.00
Kiyoshi White 65	X	72g	2.2	0.335	0.600	Mid	Low	Mid-firm	400.00
	S	69g	2.2	0.335	0.600	Mid	Low	Mid-firm	400.00
Kiyoshi Gold 65	X	68g	3.3	0.335	0.600	High	Mid	Mid	200.00
	S	68g	3.3	0.335	0.600	High	Mid	Mid	200.00
Kiyoshi Tour Limited 60	X	69g	3.7	0.335	0.600	Mid	Mid-Low	Mid	400.00
	S	69g	3.7	0.335	0.600	Mid	Mid-Low	Mid	400.00
NEW Kiyoshi HB (High Balance-Point) 65	X	69g	3.9	0.335	0.600	Mid-High	Mid-Low	Mid	200.00
	S	65g	3.9	0.335	0.600	Mid-High	Mid-Low	Mid	200.00

# CUSTOM METALWOOD SHAFT OPTIONS



PROJECT X METALWOOD CUSTOM SHAFTS OPTIONS					pxshaft.com					
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness	Upcharge (Retail)	
ProjectXLZ 60	6.5	64g	3.8	0.335	0.600	Mid-High	Low	Mid	200.00	
	6.0	64g	3.8	0.335	0.600	Mid-High	Low	Mid	200.00	
ProjectXV52	6.0	53g	3.1	0.335	0.600	Mid-High	Mid-High	Mid	0.00	
	5.5	51g	3.3	0.335	0.600	Mid-High	Mid-High	Mid	0.00	
NEW HZRDUS Black 65	6.5	62g	3.2	0.335	0.600	Low	Low	Firm	0.00	
	6.0	62g	3.2	0.335	0.600	Low	Low	Firm	0.00	
	5.5	62g	3.2	0.335	0.600	Low	Low	Firm	0.00	
NEW HZRDUS Black 75	6.5	75g	2.9	0.335	0.600	Low	Low	Firm	0.00	
	6.0	75g	2.9	0.335	0.600	Low	Low	Firm	0.00	

UST METALWOOD CUSTOM SHAFTS OPTIONS					ustmamiya.com					
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness	Upcharge (Retail)	
Elements CHROME 65	X	68g	3.0	0.335	0.600	Mid	Low	Firm	200.00	
	S	66g	4.8	0.335	0.600	Mid-high	Mid-Low	Soft	200.00	
	R	66g	4.8	0.335	0.600	Mid-high	Mid	Soft	200.00	
Elements CHROME 75	X	77g	2.9	0.335	0.600	Mid-Low	Low	Firm	200.00	
	S	75g	3.5	0.335	0.600	Mid-Low	Low	Mid	200.00	



## LIGHT WEIGHT

- 1 Aerotech SteelFiber i80
- 2 KBS C-Taper 90
- 3 KBS Tour 90
- 4 KBS 90
- 5 Reax Steel 90
- 6 Matrix Program Q95
- 7 Matrix Program F15 85
- 8 True Temper XP 95
- 9 KBS 580

## MID WEIGHT

- 1 Aerotech SteelFiber i95
- 2 Aerotech SteelFiber i110
- 3 KBS C-Taper Lite
- 4 KBS Tour 105
- 5 KBS Tour-V
- 6 Reax Steel 105 Wedge
- 7 Mitsubishi KuroKage Iron
- 8 Nippon NS Pro 950GH
- 9 True Temper Dynamic Gold Super Light
- 10 KBS C-Taper 105

## TOUR WEIGHT

- 1 KBS C-Taper
- 2 KBS Tour
- 3 KBS Tour Wedge
- 4 Nippon NS Pro Modus 3 120
- 5 Nippon NS Pro Modus 3 130
- 6 Project X Rifle
- 7 True Temper Dynamic Gold
- 8 True Temper Dynamic Gold Tour Issue

\*Shafts categorized by flex weight average. Launch and Spin comparisons based on internal TaylorMade testing of each shaft. Shaft manufacturer-provided specification data was used help identify shaft characteristics in relation to each other. Chart serves as a reference guide to aid in custom shaft fitting and does not guarantee results with any particular shaft.



# CUSTOM IRON SHAFT OPTIONS



AEROTECH IRON/WEDGE CUSTOM SHAFT OPTIONS					aerotechgol shafts.com				
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness	Upcharge (Retail)
SteelFiber i80	S	85g	2.8	0.370	0.600	Mid-High	Mid	Firm	40.00
	R	85g	2.9	0.370	0.600	Mid-High	Mid	Firm	40.00
	A	85g	3.0	0.370	0.600	High	High	Soft	40.00
SteelFiber i95	S	95g	2.4	0.355	0.600	Low	Mid	Firm	40.00
	R	95g	2.5	0.355	0.600	Low	Mid	Firm	40.00
SteelFiber i110	S	110g	1.9	0.355	0.600	Low	Mid-Low	Firm	40.00

KBS IRON/WEDGE CUSTOM SHAFT OPTIONS					kbsgol shafts.com				
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness	Upcharge (Retail)
C-Taper 90	S	90g	2.0	0.370	0.600	Mid-High	High	Soft	0.00
	R	90g	2.0	0.370	0.600	Mid-High	High	Soft	0.00
C-Taper Lite	X	115g	2.0	0.355	0.600	Mid-High	Mid-High	Mid	0.00
	S	110g	2.1	0.355	0.600	Mid-High	Mid-High	Mid	0.00
	R	105g	2.2	0.355	0.600	Mid-High	Mid-High	Mid	0.00
C-Taper (.370)	X	140g	1.8	0.370	0.600	Low	Low	Firm	0.00
	S	135g	1.9	0.370	0.600	Low	Low	Firm	0.00
C-Taper	R	125g	2.0	0.370	0.600	Low	Low	Firm	0.00
	X	130g	1.8	0.355	0.600	Low	Low	Firm	0.00
Tour 90	S	120g	1.9	0.355	0.600	Low	Low	Firm	0.00
	R	102g	1.5	0.355	0.600	Mid-High	Mid	Mid	0.00
Tour 105	S	95g	1.5	0.355	0.600	Mid-High	Mid	Mid	0.00
	R	105g	2.5	0.370	0.600	Mid-High	Mid	Mid	0.00
KBS Tour (.370)	S	105g	2.5	0.370	0.600	Mid-High	Mid	Mid	0.00
	S	130g	1.2	0.370	0.600	Mid	Mid-High	Soft	0.00
KBS Tour	R	120g	1.3	0.370	0.600	Mid	Mid-High	Soft	0.00
	X	130g	1.2	0.355	0.600	Mid	Mid	Mid	0.00
TOUR-V	S	120g	1.3	0.355	0.600	Mid	Mid	Mid	0.00
	R	110g	1.5	0.355	0.600	Mid	Mid	Mid	0.00
KBS 90	X	120g	1.9	0.355	0.600	Mid	Low	Firm	0.00
	S	110g	2.0	0.355	0.600	Mid	Low	Firm	0.00
T-Step 85	S	102g	1.5	0.370	0.600	Mid-High	High	Soft	0.00
	R	101g	1.5	0.370	0.600	Mid-High	High	Soft	0.00
610 Wedge	R	85g	1.7	0.370	0.600	High	High	Soft	0.00
	S	85g	1.7	0.370	0.600	High	High	Soft	0.00
KBS Wedge	Wedge	120g	1.5	0.355	0.610	Low	Mid-Low	Firm	0.00
Tour Wedge	Wedge	125g	2.0	0.355	0.600	Low-Mid	Mid	Mid	0.00
T-Step 105 Wedge	Wedge	125g	2.0	0.355	0.600	Low-Mid	Mid	Firm	0.00
T-Step 105 Wedge	Wedge	105g	2.5	0.370	0.600	Mid	High	Soft	0.00
<b>NEW</b> 580 (DEVELOPING PLAYER)	Jr.	95g	3.0	0.370	0.580	High	Mid	Mid	0.00

MATRIX IRON/WEDGE CUSTOM SHAFTS OPTIONS					matrixshafts.com				
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness	Upcharge (Retail)
Program Q95	S	95g	2.0	0.370	0.600	Mid	High	Mid	25.00
	R	95g	2.1	0.370	0.600	Mid	High	Mid	25.00
Program F15 85	S	82g	3.3	0.370	0.600	Mid	Mid-High	Mid	25.00
	R	80g	3.4	0.370	0.600	Mid	Mid-High	Mid	25.00

MITSUBISHI IRON/WEDGE CUSTOM SHAFTS OPTIONS					mrc-golf.com				
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness	Upcharge (Retail)
Kuro Kage Silver	X	100g	3.2	0.370	0.600	Mid-Low	Mid-Low	Mid	0.00
	S	93g	3.8	0.370	0.600	Mid	Mid	Mid	0.00
	R	80g	3.9	0.370	0.600	Mid	Mid	Mid	0.00

# CUSTOM IRON SHAFT OPTIONS



NIPPON IRON/WEDGE CUSTOM SHAFTS OPTIONS					nipponshaft.com				
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness	Upcharge (Retail)
NS Pro 950GH (0.370)	S	98g	1.9	0.370	0.610	High	High	Soft	0.00
	R	95g	2.0	0.370	0.610	High	High	Soft	0.00
NS Pro 950GH	S	98g	1.9	0.355	0.610	High	High	Soft	0.00
	R	95g	2.0	0.355	0.610	High	High	Soft	0.00
NS Pro Modus 3 120 (0.370)	S	120g	1.5	0.370	0.600	Low-Mid	Low-Mid	Firm	16.00
	R	120g	1.6	0.370	0.600	Low-Mid	Low-Mid	Firm	16.00
NS Pro Modus 3 120	X	120g	1.4	0.355	0.600	Low-Mid	Low-Mid	Firm	16.00
	S	120g	1.5	0.355	0.600	Low-Mid	Low-Mid	Firm	16.00
	R	120g	1.6	0.355	0.600	Low-Mid	Low-Mid	Firm	16.00
NS Pro Modus 3 130 (0.370)	S	130g	1.5	0.370	0.600	Mid	Low-Mid	Firm	16.00
	X	130g	1.5	0.355	0.600	Mid	Low-Mid	Firm	16.00
NS Pro Modus 3 130	S	130g	1.5	0.355	0.600	Mid	Low-Mid	Firm	16.00
	R	130g	1.5	0.355	0.600	Mid	Low-Mid	Firm	16.00

PROJECT X IRON/WEDGE CUSTOM SHAFTS OPTIONS					pxshaft.com				
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness	Upcharge (Retail)
Rifle Project X (.370)	6.5	130g	1.2	0.370	0.600	Low	Low-Mid	Low	0.00
	6.0	95g	2.0	0.370	0.600	Low	Low-Mid	Mid	0.00
	5.5	115g	1.4	0.370	0.600	Low	Low-Mid	Mid	0.00
Rifle Project X	6.5	130g	1.2	0.355	0.600	Low	Low-Mid	Low	0.00
	6.0	125g	2.0	0.355	0.600	Low	Low-Mid	Mid	0.00
	5.5	115g	1.4	0.355	0.600	Low	Low-Mid	Mid	0.00

TRUE TEMPER IRON/WEDGE CUSTOM SHAFTS OPTIONS					truetemper.com				
Model	Flex	Weight	Torque	Tip Size	Butt Size	Launch	Spin	Tip Stiffness	Upcharge (Retail)
Dynamic Gold (.370)	X100	130g	1.5	0.370	0.600	Low	Low	Firm	0.00
	S300	130g	1.6	0.370	0.600	Low	Low	Firm	0.00
	R300	127g	1.7	0.370	0.600	Low	Low	Firm	0.00
Dynamic Gold	X100	130g	1.5	0.355	0.600	Low	Low	Firm	0.00
	S300	130g	1.8	0.355	0.600	Low	Low	Firm	0.00
	R300	127g	1.8	0.355	0.600	Low	Low	Firm	0.00
Dynamic Gold Tour Issue	X100	130g	1.5	0.355	0.600	Low	Low	Stiff	16.00
	S400	132g	1.6	0.355	0.600	Low	Low	Stiff	16.00
Dynamic Gold Super Light	S300	106g	1.4	0.370	0.600	Low	Low	Firm	0.00
	R300	106g	1.7	0.370	0.600	Low	Low	Firm	0.00
NEW XP 95	S300	95g	2.1	0.370	0.600	Mid-High	Mid	Firm	0.00
	R300	93g	2.2	0.370	0.600	Mid-High	Mid	Firm	0.00

# CUSTOM GRIP OPTIONS



GOLF PRIDE CUSTOM GRIP OPTIONS (Metalwood/Iron)						golfpride.com			
Model	Color	Size	Weight	Round/Reminder	Butt Size	Feel	Logo	Upcharge (Retail)	
Tour Wrap 2G	Black	Standard	48g	Round	0.600	Wrap	Golf Pride	0.00	
	White	Standard	54g	Round	0.600	Wrap	Golf Pride	0.00	
	Black	Mid-Size	57g	Round	0.600	Wrap	Golf Pride	0.00	
	Black	Oversize	74g	Round	0.600	Wrap	Golf Pride	0.00	
New Decade	Black/Red	Standard	48g	Round	0.600	Cord/Textured	Golf Pride	8.00	
	Black/White	Standard	48g	Round	0.600	Cord/Textured	Golf Pride	8.00	
	Black/Yellow	Standard	49g	Round	0.600	Cord/Textured	Golf Pride	8.00	
	Grey/Blue	Standard	48g	Round	0.600	Cord/Textured	Golf Pride	8.00	
	Grey/Red	Standard	48g	Round	0.600	Cord/Textured	Golf Pride	8.00	
	Grey/White	Standard	48g	Round	0.600	Cord/Textured	Golf Pride	8.00	
NEW MCC Plus4™	Black/Red	Mid-Size	59g	Round	0.600	Cord/Textured	Golf Pride	8.00	
	Black/Grey	Standard	52g	Round	0.600	Cord/Textured	Golf Pride	8.00	
VDR	White	Standard	48g	Round	0.600	Textured	Golf Pride	8.00	
	Red	Standard	48g	Round	0.600	Textured	Golf Pride	8.00	
Tour Velvet	Black	Standard	53g	Round	0.580	Textured	TaylorMade	0.00	
	Black	Standard	53g	Reminder	0.580	Textured	Golf Pride	0.00	
	Black	Undersize	44g	Round	0.600	Textured	Golf Pride	0.00	
	Black	Mid-Size	53g	Round	0.600	Textured	Golf Pride	0.00	
	Black	Standard	53g	Reminder	0.580	Cord	Golf Pride	0.00	
	Black	Standard	52g	Round	0.580	Cord	Golf Pride	0.00	
	Black/Red	Standard	52g	Round	0.580	Textured	TaylorMade	0.00	
	Black/Red	Standard	51g	Round	0.600	Textured	Golf Pride	0.00	
Z-Grip	Black/White	Mid-Size	56g	Round	0.600	Cord	Golf Pride	8.00	
	Black/White	Standard	51g	Round	0.600	Cord	Golf Pride	8.00	

IOMIC CUSTOM GRIP OPTIONS (Metalwood/Iron)						iomicusa.com			
Model	Color	Size	Weight	Round/Reminder	Butt Size	Feel	Logo	Upcharge (Retail)	
IOMIC Sticky 2.3	Black	Standard	52g	Round	0.600	Textured	Iomic	12.50	
	White	Standard	52g	Round	0.600	Textured	Iomic	12.50	

LAMKIN CUSTOM GRIP OPTIONS (Metalwood/Iron)						lamkingrips.com			
Model	Color	Size	Weight	Round/Reminder	Butt Size	Feel	Logo	Upcharge (Retail)	
Crossline	Black/White	Standard	52g	Round	0.580	Textured	TaylorMade	0.00	
	Black/White	Mid-Size	63g	Round	0.580	Textured	TaylorMade	0.00	
	Black/White	Jumbo	77g	Round	0.580	Textured	TaylorMade	0.00	
Crossline ACE 3 Gen	Grey/Red	Standard	54g	Round	0.580	Textured	Lamkin	0.00	
Tour Preferred UTx	Dark Grey/Red	Standard	53g	Round	0.580	Cord	Tour Preferred	0.00	
UTx	Black/Blue	Standard	55g	Round	0.600	Cord	Lamkin	0.00	
	Black/Red	Standard	49g	Round	0.580	Textured	TaylorMade	0.00	
	Black/Red	Standard	48g	Round	0.600	Textured	TaylorMade	0.00	
	Black/Red	Standard	48g	Round	0.600	Textured	TaylorMade	0.00	

NO1 GRIP OPTIONS (Metalwood/Iron)						no1grip.com			
Model	Color	Size	Weight	Round/Reminder	Butt Size	Feel	Logo	Upcharge (Retail)	
NO1 GRIP 48 Series	White	Standard	48g	Round	0.600	Textured/Soft	NO1	8.00	

PURE GRIP OPTIONS (Metalwood/Iron)						puregrips.com			
Model	Color	Size	Weight	Round/Reminder	Butt Size	Feel	Logo	Upcharge (Retail)	
PURE Grips Pro STD .600	Black	Standard	50g	Round	0.600	Textured	Pure	0.00	

SUPER STROKE GRIP OPTIONS (Putter)						superstrokeusa.com			
Model	Color	Size	Weight	Round/Reminder	Butt Size	Feel	Logo	Upcharge (Retail)	
PTR SuperStroke Slim 3.0	White/Orange	Oversize	61g	N/A	0.580	Textured/Soft	Super Stroke	15.00	
	White/Black	Oversize	60g	N/A	0.580	Textured/Soft	Super Stroke	15.00	
PTR SuperStroke Mid-Stim 2.0	White/Red	Oversize	104g	N/A	0.580	Textured/Soft	Super Stroke	15.00	
	Black/Grey	Oversize	104g	N/A	0.580	Textured/Soft	Super Stroke	15.00	
PTR SuperStroke Flatso 1.0	White/Black	Oversize	81g	N/A	0.580	Textured/Soft	Super Stroke	15.00	
PTR SuperStroke Fatso 5.0	White/Black	Oversize	92g	N/A	0.580	Textured/Soft	Super Stroke	15.00	

# CUSTOM GRIP OPTIONS



WINN GRIP OPTIONS (Metalwood/Iron/Putter)					winnrips.com				
Model	Color	Size	Weight	Round/Reminder	Butt Size	Feel	Logo	Upcharge (Retail)	
Dri-Tac Standard	Black/Blue	Standard	50g	Round	0.580	Wrap/Soft	Winn	8.00	
	Black/Red	Standard	47g	Round	0.580	Wrap/Soft	Winn	8.00	
Dri-Tac Wrap	Black	Standard	23g	Round	0.580	Wrap/Soft	Winn	8.00	
	Black	Mid-Size	24g	Round	0.580	Wrap/Soft	Winn	8.00	
	Black	Oversize	25g	Round	0.580	Wrap/Soft	Winn	8.00	
PTR AVS	Black	Mid-Size	77g	Round	0.580	Wrap/Soft	Winn	8.00	
	Black	Oversize	125g	Round	0.580	Wrap/Soft	Winn	8.00	

TAYLORMADE GRIP OPTIONS					taylormadegolf.com				
Model	Color	Size	Weight	Round/Reminder	Butt Size	Feel	Logo	Upcharge (Retail)	
PTR Spider Counter-Balanced Putter	Black	Mid-Size	127g	Putter	0.600	Textured/Soft	TaylorMade	15.00	
	Red	Mid-Size	127g	Round	0.600	Textured/Soft	TaylorMade	15.00	
PTR TaylorMade Ghost Putter	Red/Black	Standard	58g	Round	0.580	Textured/Soft	Ghost/TaylorMade	0.00	
RSi1 Wms	Black/Lavender	Undersize	38g	Round	0.580	Wrap/Soft	NA	0.00	
RSi1 Mens	Black/Red	Standard	47g	Round	0.600	Textured	TaylorMade	0.00	
Taylormade Arrow	Black/Red	Standard	43g	Reminder	0.600	Textured	TaylorMade	0.00	
Taylormade 360	Black	Standard	47g	Round	0.580	Textured	TaylorMade	0.00	
	Black	Undersize	41g	Round	0.590	Textured	NA	0.00	
PTR Golf Pride Tour Rubber Pistol	Black/Red	Standard	73g	Pistol	0.600	Textured	TaylorMade	0.00	
R15 Wms	Black/Red	Undersize	41g	Round	0.590	Textured	NA	0.00	
AeroBurner Wms	Grey/Red	Undersize	38g	Round	0.580	Wrap/Soft	NA	0.00	
Taylormade Junior	Red/White	Undersize	40.5g	Round	0.580	Textured	NA	0.00	



## M1/M2 Wrench Kit

Model	SKU
MW Wrench Kit	B1386101

## M1 Driver Weights

Model	SKU
Front Track (Black)	
M1 Front Track 15g (Stock)	B1522201
M1 Front Track 9g (Light)	B1389701
M1 Front Track 19g (Heavy)	B1515701
Back Track (Red)	
M1 Back Track 10g (Stock)	B1389301