



SPRING 2012 SHAFT OPTIONS

DRIVERS / FAIRWAYS

TaylorMade STOCK (non-TP model) Shaft Offerings



ALDILA® RIP® PHENOM 60

STOCK R11S DRIVER

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	68g	3.4	.350	Mid	Firm	Medium
S	63g	3.4	.350	Mid	Firm	Medium
R	58g	3.6	.350	Mid	Firm	Medium
M	53g	3.6	.350	Mid	Firm	Medium
L (50)	50g	5.7	.350	Mid	Soft	Slow



MATRIX® X-CON® 5

STOCK RBZ DRIVER & FAIRWAY WOODS

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	46g	4.4	.350	Mid/High	Mid	Smooth
S	45g	4.5	.350	Mid/High	Mid	Smooth
R	45g	4.5	.350	Mid/High	Mid	Smooth
M	45g	4.5	.350	Mid/High	Mid	Smooth
L	44g	4.6	.350	High	Soft	Slow



ALDILA® RIP® PHENOM 70

STOCK R11S FAIRWAY

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	75g	2.9	.350	Mid	Mid	Medium
S	72g	3.2	.350	Mid	Mid	Medium
R	72g	3.5	.350	Mid	Mid	Medium
M	71g	3.6	.350	Mid	Mid	Medium
L (50)	50g	5.7	.350	Mid	Soft	Slow



MATRIX® X-CON® 6

STOCK RBZ TOUR DRIVER

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	62g	3.5	.350	Low/Mid	Firm	Medium
S	55g	3.8	.350	Low/Mid	Firm	Medium
R	53g	3.9	.350	Low/Mid	Firm	Medium



MATRIX® X-CON® 7

STOCK RBZ TOUR FAIRWAY WOODS

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	78g	2.7	.335	Mid	Mid	Medium
S	76g	2.9	.335	Mid	Mid	Medium
R	74g	3.1	.335	Mid	Mid	Medium

DRIVERS / FAIRWAYS

TaylorMade STOCK (TP model) Shaft Offerings



ALDILA® RIP® PHENOM 65

STOCK R11S TP DRIVER

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	66g	2.7	.335	Low	Stiff	Medium
S	63g	2.9	.335	Low	Stiff	Medium
R	60g	3.6	.335	Low	Stiff	Medium



ALDILA® RIP® PHENOM 80

STOCK R11S TP FAIRWAY

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	87g	1.7	.335	Mid	Mid	Medium
S	85g	2.0	.335	Mid	Mid	Medium
R	85g	2.4	.335	Mid	Mid	Medium



MATRIX® HD6®

STOCK RBZ TP & RBZ TOUR TP DRIVER

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	69g	3.2	.335	Low/Mid	Firm	Medium
S	67g	3.4	.335	Low/Mid	Firm	Medium
R	65g	3.6	.335	Low/Mid	Firm	Medium



MATRIX® RUL® 70

STOCK RBZ TOUR TP FAIRWAY

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	75g	3.0	.335	Mid	Firm	Medium
S	73g	3.0	.335	Mid	Firm	Medium
R	71g	3.0	.335	Mid	Firm	Medium

DRIVERS / FAIRWAYS

TaylorMade CUSTOM (TP model) Shaft Offerings



MATRIX® OZIK® 7M3

CUSTOM ONLY

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	73g	3.3	.335	Low	Stiff	Quick
S	70g	3.3	.335	Low	Stiff	Quick



MATRIX® X-CON® 5

CUSTOM ONLY

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	61g	3.8	.335	High	Mid	Smooth
S	59g	4.0	.335	High	Mid	Smooth
R	57g	4.2	.335	High	Mid	Smooth



MITSUBISHI® DIAMANA® 'AHINA 60

CUSTOM ONLY

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	65g	3.1	.335	Low	Stiff	Quick
S	62g	3.1	.335	Low	Stiff	Quick
R	59g	3.1	.335	Low	Stiff	Quick



MITSUBISHI® DIAMANA® 'KAI'LI 70

CUSTOM ONLY

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	71g	2.8	.335	Mid	Firm	Medium
S	68g	2.9	.335	Mid	Firm	Medium



MITSUBISHI® FUBUKI® ALPHA 60

CUSTOM ONLY

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	65g	3.4	.335	Mid	Mid/Firm	Medium
S	63g	3.4	.335	Mid	Mid	Medium
R	61g	3.4	.335	Mid	Mid	Medium



MATRIX® RADIX® 6

CUSTOM ONLY

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	65g	3.8	.335	Mid/High	Mid	Smooth
S	63g	4.0	.335	Mid/High	Mid	Smooth
R	61g	4.2	.335	Mid/High	Mid	Smooth



MATRIX® RUL® 60

CUSTOM ONLY

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	69g	3.5	.335	Mid	Mid	Medium
S	66g	3.5	.335	Mid	Mid	Medium
R	64g	3.5	.335	Mid	Mid	Medium



MITSUBISHI® DIAMANA® 'KAI'LI 60

CUSTOM ONLY

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	64g	3.4	.335	Mid	Firm	Medium
S	61g	3.5	.335	Mid	Firm	Medium
R	58g	3.6	.335	Mid	Firm	Medium



MITSUBISHI® DIAMANA® 'KAI'LI 80

CUSTOM ONLY

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	81g	2.8	.335	Mid	Firm	Medium
S	78g	2.8	.335	Mid	Firm	Medium



MITSUBISHI® FUBUKI® ALPHA 70

CUSTOM ONLY

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	75g	2.8	.335	Mid	Mid/Firm	Medium
S	73g	2.9	.335	Mid	Mid	Medium

ALDILA® RIP'D® NV 65

CUSTOM ONLY

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	70g	3.2	.335	Low/Mid	Firm	Medium
S	69g	3.8	.335	Low/Mid	Firm	Medium
R	69g	4.4	.335	Low/Mid	Firm	Medium

ALDILA® RIP® BETA 60

CUSTOM ONLY

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	66g	3.2	.335	Mid	Mid	Medium
S	64g	3.5	.335	Mid	Mid	Medium
R	62g	3.9	.335	Mid	Mid	Medium

ALDILA® RIP® GAMMA 60

CUSTOM ONLY

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	65g	3.2	.335	Low/Mid	Firm	Quick
S	63g	3.4	.335	Low/Mid	Firm	Quick
R	62g	3.7	.335	Low/Mid	Firm	Quick

FUJIKURA® MOTORE SPEEDER® VC 7.0

CUSTOM ONLY

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	76g	3.3	.335	Mid	Mid	Medium
S	74g	3.3	.335	Mid	Mid	Medium

FUJIKURA® MOTORE SPEEDER® VC 6.0

CUSTOM ONLY

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	69g	3.5	.335	Mid	Mid	Medium
S	67g	3.5	.335	Mid	Soft	Smooth

RIFLE® PROJECT X® 65

CUSTOM ONLY

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
6.5	69g	3.3	.335	Low/Mid	Firm	Medium
6.0	66g	3.3	.335	Low/Mid	Firm	Medium
5.5	62g	3.7	.335	Low/Mid	Firm	Smooth

ALDILA® RIP® PHENOM 50

CUSTOM ONLY

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	54g	4.2	.335	Mid	Mid	Medium
S	52g	4.8	.335	Mid	Mid	Medium
R	49g	5.4	.335	Mid	Mid	Medium

ALDILA® RIP® BETA 70

CUSTOM ONLY

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	77g	2.8	.335	Mid	Mid	Medium
S	73g	3.1	.335	Mid	Mid	Medium

FUJIKURA® BLUR® 005

CUSTOM ONLY

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	60g	4.0	.335	Mid	Mid	Smooth
S	59g	4.0	.335	Mid	Mid	Smooth
R	58g	4.0	.335	Mid	Mid	Smooth

FUJIKURA® BLUR® TS65

CUSTOM ONLY

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	65g	3.3	.335	Mid	Firm	Medium
S	65g	3.3	.335	Mid	Mid	Smooth

LOOMIS® COLLEGE® 65

CUSTOM ONLY

Flex	Weight	Torque	Tip Size	Trajectory	Tip Profile	Swing Tempo
X	67g	3.1	.335	Mid	Mid	Smooth
S	63g	3.2	.335	Mid	Mid	Smooth
R	61g	3.4	.335	Mid	Mid	Smooth

*48 Different Colleges Available

IRONS

TaylorMade STOCK Iron Shaft Offerings



RBZ STEEL 85 STOCK ROCKETBALLZ STEEL IRONS

Flex	Torque	Tip Size	Butt	Weight	Trajectory
S	1.7	.370"	.600"	85 g	Flighted
R	1.7	.370"	.600"	85 g	Flighted

*AW, SW, LW Shaft Weight = 105g



RBZ GRAPHITE 65 STOCK ROCKETBALLZ GRAPHITE IRONS

Flex	Torque	Tip Size	Butt	Weight	Trajectory
S	3.0	.370"	.600"	65 g	High
R	3.0	.370"	.600"	65 g	High
M	3.0	.370"	.600"	65 g	High
L (55)	3.0	.370"	.600"	55 g	High



KBS® 90 STOCK R11 STEEL IRONS

Flex	Torque	Tip Size	Butt	Weight	Trajectory
S	1.6	.370"	.600"	90 g	Mid
R	1.9	.370"	.600"	90 g	Mid



DYNAMIC GOLD® STOCK MB & MC IRONS

Flex	Torque	Tip Size	Butt	Weight	Trajectory
X100	1.8	.355" & .370"	.600"	130 g	Low
S300	1.8	.355" & .370"	.600"	130 g	Low
R300	1.8	.355" & .370"	.600"	127 g	Low



KBS® SATIN 90 STOCK RBZ MAX STEEL IRONS

Flex	Torque	Tip Size	Butt	Weight	Trajectory
S	1.6	.370"	.600"	90 g	Mid
R	1.9	.370"	.600"	90 g	Mid



MATRIX® PROGRAM® 55 STOCK RBZ MAX GRAPHITE

Flex	Torque	Tip Size	Butt	Weight	Trajectory
S	2.7	.370"	.610"	55 g	High
R	2.8	.370"	.610"	55 g	High
M	3.0	.370"	.610"	55 g	High
L (45)	3.0	.370"	.600"	45 g	High



FUJIKURA® MOTORE™ STOCK R11 GRAPHITE IRONS

Flex	Torque	Tip Size	Butt	Weight	Trajectory
S	1.6	.370"	.610"	75 g	Mid
R	1.9	.370"	.610"	65 g	Mid
M	2.0	.370"	.610"	55 g	Mid

IRONS

TaylorMade CUSTOM Iron Shaft Offerings

.370 Tip = Standard Irons Only | .355 Tip = TP Irons Only




DYNAMIC GOLD® XP CUSTOM ONLY

Flex	Torque	Tip Size	Butt	Weight	Trajectory
X100	1.4	.355"	.600"	115 g	Mid
S300	1.6	.355", .370"	.600"	110 g, 121 g	Mid
R300	1.8	.355", .370"	.600"	105 g, 116 g	Mid



KBS TOUR C-TAPER CUSTOM ONLY

Flex	Torque	Tip Size	Butt	Weight	Trajectory
X	1.8	.355"	.600"	130 g	Low
S	1.9	.355"	.600"	120 g	Low



DYNAMIC GOLD® SL CUSTOM ONLY

Flex	Torque	Tip Size	Butt	Weight	Trajectory
X100	1.3	.355" & .370"	.600"	109 g	Low
S300	1.4	.355" & .370"	.600"	106 g	Low
R300	1.5	.355" & .370"	.600"	106 g	Low



KBS® TOUR CUSTOM ONLY

Flex	Torque	Tip Size	Butt	Weight	Trajectory
X	1.2	.355"	.600"	130 g	Mid
S	1.3	.355" & .370"	.600"	120-130 g	Mid
R	1.5	.355" & .370"	.600"	110-120 g	Mid



KBS TOUR 90 CUSTOM ONLY

Flex	Torque	Tip Size	Butt	Weight	Trajectory
S	2.3	.355"	.600"	102 g	Mid
R	2.5	.355"	.600"	101 g	Mid



ROYAL PRECISION® PROJECT X® FLIGHTED CUSTOM ONLY

Flex	Torque	Tip Size	Butt	Weight	Trajectory
6.5	1.4	.355"	.600"	130 g	Flighted
6.0	1.5	.355" & .370"	.600"	125 g	Flighted
5.5	1.5	.355" & .370"	.600"	120 g	Flighted
5.0	1.5	.370"	.600"	115 g	Flighted



MATRIX OZIK HD PROGRAM 130 CUSTOM ONLY

Flex	Torque	Tip Size	Butt	Weight	Trajectory
S	1.9	.355"	.610"	128 g	High



FUJIKURA® TP 90 CUSTOM ONLY

Flex	Torque	Tip Size	Butt	Weight	Trajectory
S	3.4	.355"	.600"	90 g	Mid to High
R	3.5	.355"	.600"	80 g	Mid to High



ROYAL PRECISION® PROJECT X® CUSTOM ONLY

Flex	Torque	Tip Size	Butt	Weight	Trajectory
6.5	1.2	.355" & .370"	.600"	130 g	Low
6.0	1.3	.355" & .370"	.600"	125 g	Low
5.5	1.4	.355" & .370"	.600"	115 g	Low



NIPPON® NS PRO® 950 CUSTOM ONLY

Flex	Torque	Tip Size	Butt	Weight	Trajectory
S	1.9	.355" & .370"	.610"	98 g	Mid
R	2.0	.355" & .370"	.610"	95 g	Mid



MATRIX OZIK HD PROGRAM 95 CUSTOM ONLY

Flex	Torque	Tip Size	Butt	Weight	Trajectory
S	2.1	.370"	.610"	95 g	High
R	2.0	.370"	.610"	95 g	High

RESCUES

TaylorMade STOCK Rescue Shafts



ALDILA® RIP® 65 HB STOCK R11 RESCUE

Flex	Torque	Tip Size	Butt	Weight	Trajectory
S	3.5	.355"	.600"	65 g	Mid to High
R	3.5	.355"	.600"	65 g	Mid to High
M	3.5	.355"	.600"	65 g	Mid to High



ALDILA® RIP® 85 HB STOCK R11 TP RESCUE

Flex	Torque	Tip Size	Butt	Weight	Trajectory
X	1.1	.355"	.615"	85 g	Mid
S	1.1	.355"	.615"	85 g	Mid
R	1.3	.355"	.610"	83 g	Mid



RBZ GRAPHITE 65 STOCK RBZ RESCUE

Flex	Torque	Tip Size	Butt	Weight	Trajectory
S	3.0	.370"	.600"	65 g	High
R	3.0	.370"	.600"	65 g	High
M	3.0	.370"	.600"	65 g	High
L (55)	3.0	.370"	.600"	55 g	High



RE*AX 85 HB STOCK RBZ TOUR RESCUE

Flex	Torque	Tip Size	Butt	Weight	Trajectory
X	2.1	.355"	.600"	85 g	Mid
S	2.1	.355"	.600"	85 g	Mid
R	2.1	.355"	.600"	85 g	Mid



MATRIX® ALTUS® 85 STOCK RBZ TOUR RESCUE TP

Flex	Torque	Tip Size	Butt	Weight	Trajectory
X	2.9	.355"	.600"	89 g	Mid
S	3.1	.355"	.600"	87 g	Mid
R	3.3	.355"	.600"	85 g	Mid



ALDILA® RIP® 105 HB TP MODEL ONLY

Flex	Torque	Tip Size	Butt	Weight	Trajectory
X	1.0	.355"	.615"	99 g	Low to Mid
S	1.0	.355"	.615"	98 g	Low to Mid



ROYAL PRECISION® PROJECT X® 90 HB TP MODEL ONLY

Flex	Torque	Tip Size	Butt	Weight	Trajectory
6.5	2.4	.355"	.600"	92 g	Low to Mid
6.0	2.6	.355"	.600"	87 g	Low to Mid
5.5	2.8	.355"	.600"	82 g	Low to Mid



DYNAMIC GOLD® CUSTOM ONLY

Flex	Torque	Tip Size	Butt	Weight	Trajectory
X100	1.8	.355" & .370"	.600"	130 g	Low
S300	1.8	.355" & .370"	.600"	130 g	Low
R300	1.8	.355" & .370"	.600"	127 g	Low



KBS TOUR C-TAPER CUSTOM ONLY

Flex	Torque	Tip Size	Butt	Weight	Trajectory
X	1.8	.355"	.600"	130 g	Low
S	1.9	.355"	.600"	120 g	Low



ROYAL PRECISION® PROJECT X® CUSTOM ONLY

Flex	Torque	Tip Size	Butt	Weight	Trajectory
6.5	1.2	.355" & .370"	.600"	130 g	Low
6.0	1.3	.355" & .370"	.600"	125 g	Low
5.5	1.4	.355" & .370"	.600"	115 g	Low



MATRIX OZIK HD PROGRAM 130 TP MODEL ONLY

Flex	Torque	Tip Size	Butt	Weight	Trajectory
S	1.9	.355"	.610"	128 g	High



NIPPON® NS PRO® 950 CUSTOM ONLY

Flex	Torque	Tip Size	Butt	Weight	Trajectory
S	1.9	.355" & .370"	.610"	98 g	Mid
R	2.0	.355" & .370"	.610"	95 g	Mid



FUJIKURA® F3® 80 HB TP MODEL ONLY

Flex	Torque	Tip Size	Butt	Weight	Trajectory
X	2.4	.355"	.620"	80 g	Mid
S	2.4	.355"	.610"	78 g	Mid
R	2.4	.355"	.610"	77 g	Mid



MATRIX® ALTUS® 80 HB TP MODEL ONLY

Flex	Torque	Tip Size	Butt	Weight	Trajectory
X	2.5	.355"	.605"	85 g	Low to Mid
S	2.7	.355"	.605"	81 g	Low to Mid
R	2.7	.355"	.600"	79 g	Low to Mid



DYNAMIC GOLD® SL CUSTOM ONLY

Flex	Torque	Tip Size	Butt	Weight	Trajectory
X100	1.3	.355" & .370"	.600"	109 g	Low
S300	1.4	.355" & .370"	.600"	106 g	Low
R300	1.5	.355" & .370"	.600"	106 g	Low



KBS® TOUR CUSTOM ONLY

Flex	Torque	Tip Size	Butt	Weight	Trajectory
X	1.2	.355"	.600"	130 g	Mid
S	1.3	.355" & .370"	.600"	120-130 g	Mid
R	1.5	.355" & .370"	.600"	110-120 g	Mid



ROYAL PRECISION® PROJECT X® FLIGHTED CUSTOM ONLY

Flex	Torque	Tip Size	Butt	Weight	Trajectory
6.5	1.4	.355"	.600"	130 g	Flighted
6.0	1.5	.355" & .370"	.600"	125 g	Flighted
5.5	1.5	.355" & .370"	.600"	120 g	Flighted
5.0	1.5	.370"	.600"	115 g	Flighted



MATRIX OZIK HD PROGRAM 95 CUSTOM ONLY

Flex	Torque	Tip Size	Butt	Weight	Trajectory
S	2.1	.370"	.610"	95 g	High
R	2.0	.370"	.610"	95 g	High



GRIP OPTIONS

WINN



Item #	Description	Core	Weight	Feel
N1628301	Xi 7 Red / Black Std.	.600"	50g	Round



Item #	Description	Core	Weight	Feel
N1628401	Xi 7 Blue / Black Midsize	.600"	52g	Round



Item #	Description	Core	Weight	Feel
N1628501	Dsi Black Std.	.580"	41g	Round



Item #	Description	Core	Weight	Feel
N1628601	Pci TL Black Std. Size	.600"	50g	Round

LAMKIN



Item #	Description	Core	Weight	Feel
N1744501	N-DUR (white/black)	.580"	57g	Round



Item #	Description	Core	Weight	Feel
N1744401	N-DUR (white/red)	.580"	57g	Round



Item #	Description	Core	Weight	Feel
N1744701	Performance Plus (white/black)	.580"	59g	Round



Item #	Description	Core	Weight	Feel
850270	Crossline TM Logo	.600"	52g	Round

LAMKIN (cont.)



Item #	Description	Core	Weight	Feel
N1859401	Lamkin PermaWrap 3G White	.580"	54g	Round

GOLF PRIDE



Item #	Description	Core	Weight	Feel
848712	Tour Velvet TM Logo	.580"	51g	Round



Item #	Description	Core	Weight	Feel
849441	Tour Velvet Ribbed	.580"	51g	Ribbed
26789301	Tour Velvet Full Cord	.580"	52g	Round
849443	Tour Velvet Full Cord Ribbed	.580"	52g	Ribbed
848603	Tour Velvet Midsize	.600"	53g	Round
848604	Tour Velvet Undersize	.600"	53g	Round



Item #	Description	Core	Weight	Feel
79455201	Red and Black	.600"	46g	Round
N1628901	Red and Black Midsize	.600"	59g	Round



Item #	Description	Core	Weight	Feel
N1629001	White and Black	.600"	46g	Round



Item #	Description	Core	Weight	Feel
N1760701	Tour Wrap 2G Black 60R Std	.600"	48g	Round
N1760901	Tour Wrap 2G Black Mid	.600"	58g	Round



Item #	Description	Core	Weight	Feel
N1760801	Tour Wrap 2G White 60R Std	.600"	48g	Round

GOLF PRIDE (cont.)



Item #	Description	Core	Weight	Feel
N1859201	Golf Pride VDR White	.600"	50g	Round



Item #	Description	Core	Weight	Feel
N1859301	Golf Pride VDR Red	.600"	50g	Round

TAYLORMADE®



Item #	Description	Core	Weight	Feel
N1955701	RBZ 360 lite (men's)	.620"	42g	Round



Item #	Description	Core	Weight	Feel
N1962401	RBZ 360 (men's)	.600"	45g	Round



Item #	Description	Core	Weight	Feel
N1939301	RBZ iron (men's)	.600"	47g	Round



Item #	Description	Core	Weight	Feel
N1944301	RBZ MAX iron (men's)	.600"	44g	Ribbed



Item #	Description	Core	Weight	Feel
N1601301	TM 360	.580"	55g	Round



Item #	Description	Core	Weight	Feel
N1637901	TM 360 Full Cord	.580"	55g	Round



Item #	Description	Core	Weight	Feel
N1973101	ATV wedge	.600"	57g	Round



Item #	Description	Core	Weight	Feel
N1939401	RBZ iron (ladies)	.600"	40g	Ribbed

TAYLORMADE® (cont.)



Item #	Description	Core	Weight	Feel
N1944401	RBZ MAX iron (ladies)	.600"	40g	Ribbed

PUTTER GRIPS



GHOST TOUR WINN

Item #	Description	Core	Weight	Profile
N1976901	Ghost Tour Winn	.590"	57g	Pistol



GHOST MANTA WINN

Item #	Description	Core	Weight	Profile
N1973801	Ghost Manta Winn	.590"	57g	Pistol



GHOST MANTA BELLY WINN

Item #	Description	Core	Weight	Profile
N1973901	Ghost Manta Belly Winn	.600"	155g	Pistol



GHOST MANTA LONG WINN

Item #	Description	Core	Weight	Profile
N1974001	Ghost Manta Long Winn	.620"	134g	Round



WHITE SMOKE

Item #	Description	Core	Weight	Profile
N1974901	White Smoke	.590"	57g	Pistol



WINN® MIDSIZE 68WS

Item #	Description	Core	Weight	Profile
N1931901	Winn AVS midsize	.590"	75g	Pistol



WINN® JUMBO J8WS

Item #	Description	Core	Weight	Profile
N1931801	Winn AVS Jumbo	.600"	124g	Pistol



SUPERSTROKE® FATSO LITE

Item #	Description	Core	Weight	Profile
N1931701	Super Stroke Fatso Lite	.580"	130g	Oversized