Taylor Made®









FEATURE	ADVANTAGE	BENEFII
TaylorMade Launch Control (TLC) Technology	Provides the freedom to reposition weight in the clubhead to create six sets of launch conditions	Gives the player the ability to optimize trajectory to maximize distance
4 TLC Cartridges and 4 TLC Ports	Creates the ability to reconfigure 24 grams out of 48 grams of discretionary weight in the r7 quad clubhead for ideal CG placement, resulting in different horizontal and vertical launch conditions	Gives the player the ability to shape shots and choose their trajectory, increasing accuracy and workability
Super-Thin Wall Casting Technology	An exclusive production process that allows us to create clubhead walls that are 20% thinner, saving more than 20 grams of weight	Players can move weight to improve overall performance based on their personal swing needs
Inverted Cone Technology and Pull-Face Technology	Expanded COR Zone; more efficient use of structural weight; and a lighter clubface	Greater ball velocity on off-center hits resulting in consistently longer drives; saved weight is used to enhance the performance of TLC
M.A.S. ² 7-65 Graphite Shaft	Low torque, medium-high kickpoint	"Player's" shaft that performs best at medium-to-high swing speeds; low torque enhances control











The TLC Wrench features a six-pointed drive for a secure connection to TLC cartridges, and is self-limiting to prevent over-tightening

r7 quad	Left Handed	Loft	Lie	Head Volume	Club Length	Swing Weight
7.5	No	7.5°	59°	400 cc	45"	D3
8.5	No	8.5°	59°	400 cc	45"	D3
9.5	Yes	9.5°	59°	400 сс	45"	D3
10.5	Yes	10.5°	59°	400 cc	45"	D3

Shaft	Flex	Torque	Tip Size	Butt Dia.	Weight	Grip	Grip Weight
M.A.S. ² 7-65	TS	2.8°	0.350"	0.600"	65 g	TGT	50
	S	2.8°	0.350"	0.600"	65 g	TGT	50
	R	2.9°	0.350"	0.600"	65 g	TGT	50
	M	2.9°	0.350"	0.600"	65 g	TGT	50

WARRANTY INFORMATION